

## Purchase Order Receipt Listing

Friday, November 11, 2016 10:54:03 AM

Page 1 of 1

All amounts are calculated in domestic currency.

All Vendors PO ID PO34234 All Receipt Dates All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID \ Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO34234	2		M6061T6B1.000X06. f 000		11/14/2016	11/11/2016	12.0000	\$11.49	0.0000	0	\$137.88
CAD	No		6061T6 BAR 1.00 X f 6.00		12.0000	PLOU01		\$137.88	0.0000	0	
			m136108								
	3		M6061T6B2.000X01. f 250		11/14/2016	11/11/2016	12.0000	\$6.15	0.0000	0	\$73.82
	No		6061-T6 Bar 2.00 x f 1.25		12.0000	PLOU01		\$73.82	0.0000	0	
			m136108								
	4		M6061T6B2.750X03. f 750		11/14/2016	11/11/2016	12.0000	\$22.71	0.0000	0	\$272.55
	No		6061-T6 BAR 2.75 X f 3.75		12.0000	PLOU01		\$272.55	0.0000	0	
			m136108								
	5		71401-45		11/14/2016	11/11/2016	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	PLOU01		\$0.00	0.0000	0	
			m136108								
Total Received Quantity: 37.0000											
Total Qty to Inspect (PO U/M): 0.0000											
Total Reject Quantity: 0.0000											
Total Receipt Value: \$484.26											
Total Balance Due Quantity: 0.0000											

# B I L L O F L A D I N G

Ship From:  
 THYSSENKRUPP MATERIALS NA  
 2821 LANGSTAFF ROAD  
 CONCORD, ONTARIO L4K 5C6  
 Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 17380  
 Ship Date 11Nov16 at 10:44 From PFW  
 Probill  
 Via O/T  
 FOB CONCORD  
 Frt PREPAID  
 Route 0- 0 Manifest  
 Vhcle Trailer  
 Slp STAN IVERS (905-532-1350)  
 Sold To: ( 20115)  
 DART AEROSPACE  
 1270 ABERDEEN ST  
 HAWKESBURY, ON K6A 1K7

Ship To: ( 1)  
 DART AEROSPACE  
 1270 ABERDEEN ST  
 HAWKESBURY, ON K6A 1K7  
 Tel: 613-632-9577 Fax: 613-632-1053

## B I L L O F L A D I N G

1) Our Order PEC-986359- 1 Your PO # 34234

ALUMINUM FLAT BAR 6061-T6511

1.00" x 6.00" X 144.0000"

Heat Number

201616951

Tag No

588658

Quantity

12 FT

PCS

1

Wt LBS

86

2) Our Order PEC-986359- 2 Your PO # 34234

ALUMINUM FLAT BAR 6061-T6511

1.250" x 2.00" X 144.0000"

Heat Number

201616184

Tag No

588659

Quantity

12 FT

PCS

1

Wt LBS

36

3) Our Order PEC-986359- 3 Your PO # 34234

Part # \* OFFERING

Rel #

ALUMINUM FLAT BAR 6061-T6511

3.00" X 4.00" X 144.0000"

Heat Number

201617405

Tag No

588660

Quantity

12 FT

PCS

1

Wt LBS

171

TOTAL:

Tags

3

PCS

3

LBS

293

Heat Number  
 201616951  
 201617405

\*\*\* Chemical Analysis \*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT  
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR

Page: 1 ....Continued

NOV 11 2016

DAS  
 9-89

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX  
 ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION  
 TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE

## B I L L O F L A D I N G

No: PEC 17380

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 11Nov16 at 10:44 From PFW  
Probill  
Via O/T  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1)  
DART AEROSPACE

## B I L L O F L A D I N G

TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*

\*\* REFERENCED ON IT \*\*

TOTAL 1 BDL GW. 305 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA

CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*

\*\*\*\* TEL. 800-926-2600 \*\*\*\*

\*\*\*\*\*

\* WE STOCK STAINLESS STEEL \*

\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*

\*\*\*\*\*

\*\*\*PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER.\*\*\*

\*\*\*\*\*

\*\*\*UNE SURCHARGE D'ENERGIE DE \$25.00

SERA AJOUTEE A CHAQUE COMMANDE.\*\*\*

\*\*\*POUR VOS BESOINS D'ACIER INOXYDABLE,

\*CONTACTEZ-NOUS. NOUS L'AVONS! TEL. 800-926-2600\*

Page: 2 .... Last

ALUMINIUM • LAITON • CUIVRE • PLASTIQUE • ACIER INOX  
ALUMINUM • BRASS • COPPER • PLASTICS • STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

# THYSSENKRUPP MATERIALS NA

PO/REL 34234

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

## Certificate of Mill Test Results

BL PEC-017380-001

11 Nov 16  
Pg 1/1



Can Do.

### Service Center Metals

5850 Quality Way  
Prince George, VA 23875

## CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS



BILL TO

ThyssenKrupp Materials NA-Concord, ON

SHIP TO

ThyssenKrupp Materials NA-Concord, ON

Quantity Certified 4,531 lbs 53 pcs

MANIFEST NUMBER

310622

CUSTOMER PO

PEC-277638

CUSTOMER PART NUMBER

MRB1826

DIE NUMBER

MRB1826

ALLOY / TEMPER

6061-T6511

DESCRIPTION

MQRB 1.000x6 000

DATE OF SHIPMENT

10/12/2016

SALESPERSON

D Schroeder (Canada)

OUR ORDER NUMBER	ITEM
272639	6

CERTIFICATION

ASTM-B221-14 StencilCont

SPECIFICATION

AMS-QQA-200/8 Rev-A

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6. This product is RoHS-2, REACH, and DFARS compliant.

### Mechanical Properties

Tests Lot No.

4 201615637  
2 201616951

### Test Date

Ultimate Tensile  
Strength (KSI)

Yield Strength  
(KSI)

Percent  
Elongation

Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
9/7/16	min 50.10 max 51.30	min 46.30 max 47.60	min 12.40 max 17.90
10/3/16	min 48.20 max 49.70	min 44.30 max 46.30	min 17.60 max 18.15

9/16/16

### Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Others	Total	Melt Source
05151601	201615637	6061	0.73	0.37	0.30	0.10	0.86	0.08	0.07	0.02	97.47	0.05	0.15	United States of America
08301601	201615637	6061	0.77	0.36	0.32	0.11	0.91	0.08	0.07	0.02	97.36	0.05	0.15	United States of America
09241605	201616951	6061	0.72	0.35	0.30	0.08	0.89	0.11	0.07	0.02	97.46	0.05	0.15	United States of America

SCM products are melted and extruded in the USA

Calvin L. McGinnis

Calvin L. McGinnis, Director of Quality & Technical Services

Print Date: 10/12/2016



PO/Ref 34234

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

BL PEC-017380-003



Service Center Metals

5850 Quality Way  
Prince George, VA 23875

Can Do.

BILL TO

ThyssenKrupp Materials NA-Concord, ON

SHIP TO

ThyssenKrupp Materials NA-Concord, ON

Quantity Certified 3,078 lbs 18 pcs

MANIFEST NUMBER

310823

CUSTOMER PO

PEC-278361

CUSTOMER PART NUMBER

MRB0470

DIE NUMBER

MRB0470

ALLOY/TEMPER

6061-T6511

DESCRIPTION

QRB 3.000x4.000

DATE OF SHIPMENT

10/13/2016

SALESPERSON

D. Schroeder (Canada)



OUR ORDER NUMBER  
275416

ITEM  
1

CERTIFICATION

ASTM-B221-14 Stencil Cont

SPECIFICATION

AMS-QQA-200/8 Rev-A

## CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-16.  
This product is RoHS-2, REACH, and DFARS compliant.

### Mechanical Properties

Tests Lot No.

DAS

9

9-89

2 201617405

Test Date

10/7/16

Ultimate Tensile  
Strength (KSI)

min 49.20

max 50.60

Yield Strength  
(KSI)

min 45.40

max 47.20

Percent  
Elongation

min 15.00

max 17.50

### Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Others		Melt Source
												Each	Total	
1K161003Y	201617405	6061	0.74	0.38	0.32	0.11	0.95	0.10	0.05	0.02	97.33	0.05	0.15	United States of America
1M160926C	201617405	6061	0.76	0.37	0.32	0.10	0.89	0.10	0.04	0.03	97.40	0.05	0.15	United States of America
1M161004L	201617405	6061	0.74	0.37	0.31	0.10	0.87	0.10	0.05	0.02	97.43	0.05	0.15	United States of America

SCM products are melted and extruded in the USA

Print Date: 10/13/2016

Calvin J. Wiggins, Director of Quality & Technical Services



Can Do.

## Service Center Metals

5850 Quality Way  
Prince George, VA 23875

## CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS



OUR ORDER NUMBER	ITEM
272639	1

BILL TO	MANIFEST NUMBER	DIE NUMBER	DATE OF SHIPMENT	CERTIFICATION
ThyssenKrupp Materials NA-Concord, ON	310815	MRB1792	10/13/2016	ASTM-B221-14 StencilCont
SHIP TO	CUSTOMER PO	ALLOY / TEMPER	SALESPERSON	SPECIFICATION
ThyssenKrupp Materials NA-Concord, ON	PEC-277638	6061-T6511	D. Schroeder (Canada)	AMS-QQA-200/8 Rev-A
Quantity Certified	4,315 lbs	DESCRIPTION		
	121 pcs	MQRB 1.250x2.000		

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. This product is RoHS-2, REACH, and DFARS compliant.

### Mechanical Properties

Tests	Lot No.	Test Date	Ultimate Tensile Strength (KSI)		Yield Strength (KSI)		Percent Elongation	
			min	max	min	max	min	max
3	201616184	9/20/16	49.20	51.20	45.60	47.30	12.95	14.20
6	201617706	10/13/16	51.40	51.90	47.90	48.60	15.15	17.25

SCM products are melted and extruded in the USA

Calvin J. Wiggins, Director of Quality & Technical Services

Print Date: 10/13/2016

Rev 9/8/16



## Service Center Metals

5850 Quality Way  
Prince George, VA 23875

## CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS



OUR ORDER NUMBER	ITEM
272639	1

BILL TO	MANIFEST NUMBER	DIE NUMBER	DATE OF SHIPMENT	CERTIFICATION
ThyssenKrupp Materials NA-Concord, ON	310815	MRB1792	10/13/2016	ASTM-B221-14 StencilCont
SHIP TO	CUSTOMER PO	ALLOY / TEMPER	SALESPERSON	SPECIFICATION
ThyssenKrupp Materials NA-Concord, ON	PEC-277638	6061-T6511	D. Schroeder (Canada)	AMS-QQA-200/8 Rev-A
Quantity Certified	4,315 lbs	121 pcs	DESCRIPTION	
			MRB1792	

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6. This product is RoHS-2, REACH, and DFARS compliant.

### Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Others		Melt Source:
											Each	Total	
08271604	201616184	6061	0.78	0.35	0.30	0.10	0.92	0.08	0.06	0.02	0.05	0.15	United States of America
08301601	201616184	6061	0.77	0.36	0.32	0.11	0.91	0.08	0.07	0.02	0.05	0.15	United States of America
09091604	201616184	6061	0.74	0.34	0.30	0.10	0.86	0.09	0.10	0.02	0.05	0.15	United States of America
1K160930C	201617706	6061	0.74	0.37	0.33	0.10	0.88	0.10	0.03	0.03	0.05	0.15	United States of America
1K160930Y	201617706	6061	0.74	0.37	0.32	0.10	0.88	0.09	0.03	0.03	0.05	0.15	United States of America
1K161006D	201617706	6061	0.72	0.37	0.31	0.10	0.90	0.10	0.03	0.03	0.05	0.15	United States of America

SCM products are melted and extruded in the USA

Calvin J. Wiggins, Director of Quality & Technical Services

Print Date: 10/13/2016

Rev 9/8/16

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6B2.750x3.750

PO / BATCH NO: 1034734 / M136103

DATE: 16-11-14

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12  
 QUANTITY INSPECTED: 12  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 3.00  
 THICKNESS RECEIVED: 3.00  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	ASTM B221
CORRECT REF # TO LINK CERT	(Y) N	201612405
CORRECT MATERIAL IDENTIFICATION	(Y) N	M6061T6B 3.00x4.00
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>9</u>	SIGNED OFF BY: _____		
DATE: <u>16-11-14</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 B1.00x6.00

PO / BATCH NO.: 34234/136108

DATE: 11/11/13

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.00

QUANTITY RECEIVED: 12

THICKNESS RECEIVED: 1.030

QUANTITY INSPECTED: 12

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>6061T6</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	<u>1.030</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>A45-QQA-200/8</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>HEAT# 201616951</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	<u>M6061T6 B1.00x6.00</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M36108</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u>	SIGNED OFF BY: _____
DATE: <u>11/11/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6 B2.00X1.25

PO / BATCH NO.: 34234/136108

DATE: 11/11/13

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.25

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: 1.25

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M6061T6</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	<u>1.250</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>HEAT # 2011616184</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	<u>M6061T6 B2.00X1.25</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M136108</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

<b>QC 18 INSPECTION</b>	<b>ENGINEERING SIGNOFF (if required)</b>
INSPECTED BY: _____	SIGNED OFF BY: _____
DATE: _____	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34234**

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 1 of 3

Order From : VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

E-MAILED

NOV 08 2016

Contact Name	Buyer	Chantal Lavoie
Vendor Phone 905 669 9444	Customer POID	
	Customer Tax #	10127-2607
Ship To Contact	Terms	Net 30
Ship To Phone	Currency	CAD
Ship Via: VENDOR'S TRUCK	FOB	FCA - (Free Carrier)
Ship Acct:		

Line Nbr	Reference Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
	Line Comments		Promise Date				
	Delivery Comments						
1	M6061T6B1.000X16.000	6061-T6 Bar 1.00 x 16.00	11/18/2016		12.00 f	\$49.91	\$598.90
			Yes				
			11/18/2016				
	MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221						

						Line Total:	\$598.90
2	M6061T6B1.000X06.000	6061T6 BAR 1.00 X 6.00	11/14/2016		12.00 f	\$15.41	\$184.90
			Yes				
			11/14/2016				
	MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221						

NOV 11 2016

DAS  
26  
9-89

Line Total: \$184.90

Note:

11/8/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO34234

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 2 of 3

Order From : VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name

Vendor Phone 905 669 9444

Ship To Contact

Ship To Phone

Ship Via: VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

3 M6061T6B2.000X01.250 6061-T6 Bar 2.00 x 1.25 11/14/2016  
Yes  
11/14/2016

12.00 f \$8.25 \$99.00

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

Line Total: \$99.00

4 M6061T6B2.750X03.750 6061-T6 BAR 2.75 X 3.75 11/14/2016  
Yes  
11/14/2016

12.00 f \$30.46 \$365.50

MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

NOTE: 6061-T6 BAR 3" X 4" ACCEPTABLE AS PER JEAN-LUC

NOV 11 2016

AS 26 9-89

Line Total: \$365.50

Note:

11/8/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34234**

Purchase Order Date 11/8/2016

PO Print Date 11/8/2016

Page Number 3 of 3

**Order From :** VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone** 905 669 9444

**Ship To Contact**

**Ship To Phone**

**Ship Via:** VENDOR'S TRUCK

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms** Net 30

**Currency** CAD

**FOB** FCA - (Free Carrier)

5	71401-45	PROCUREMENT QUALITY CLAUSES	11/14/2016	1.00	\$0.00	\$0.00
---	----------	--------------------------------	------------	------	--------	--------

No

Procurement Quality Clauses

11/14/2016

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

**Line Total:** \$0.00

**PO Total:** \$1,248.30

*W*  
*CL*

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 1

Change Date: 11/8/2016